



## **JDisc Discovery 5.0**

### **Dependency Mapping Add-On**

## **Legal Notice**

JDisc GmbH shall not be liable for errors contained herein or for incidental or consequential damages in connection with the furnishing, performance, or use of this material. The information herein is subject to change without notice and is provided "as is" without warranty of any kind. The entire risk arising from the use of this information remains with the user. In no event shall JDisc GmbH be liable for any direct, consequential, incidental, special, punitive, or other damages whatsoever (including - without limitation - damages for loss of business profits, business interruption or loss of business information), even if JDisc GmbH has been advised of the possibility of such damages. The foregoing shall apply regardless of negligence or any other fault on behalf of either party and regardless of whether such liability sounds in contract, negligence, tort, or any other theory of legal liability, and notwithstanding any failure of essential purpose of any limited remedy. The limited warranties for JDisc GmbH products are exclusively set forth in the documentation accompanying such products. Nothing herein should be construed as constituting a further or additional warranty.

## **Copyright**

JDisc GmbH may hold patents or pending patent applications covering the subject matter of this document. The furnishing of this document does not imply any license for these patents. You can send license inquiries, in writing, to:

JDisc GmbH  
Kuppinger Weg 25  
D-71116 Gärtringen  
Germany

This document is protected by copyright. All rights are reserved. No part of this document may be photocopied, reproduced, or translated to another language without prior written consent of JDisc GmbH.

All other registered trademarks are the property of their respective owners.

© Copyright JDisc GmbH, 2022.





# Contents

1 Introduction.....	6
1.1 What is dependency mapping?.....	6
2 Installation.....	8
3 Dependency mapping.....	9
3.1 Licensing.....	9
3.2 How Product collects Dependency information.....	10
3.3 New user interface elements.....	10
3.4 Configuration.....	11
3.5 Define port names.....	12
3.6 New Reports.....	13
3.6.1 Open Port statistics.....	13
3.6.2 Connection Statistics.....	14
3.6.3 Device details - Open Ports and connections.....	15
3.7 dependency maps.....	17
3.7.1 Dependency map basics.....	17
3.7.2 Create a dependency map.....	17
3.7.3 Change map settings.....	19
3.7.3.1 Change the connection hop limit.....	19
3.7.3.2 Filter dependency maps.....	20
3.7.3.2.1 Port filters.....	20
3.7.3.2.2 Device Type Filters.....	21
3.7.3.3 Layout algorithms.....	22
3.7.3.4 Move devices.....	23
3.7.3.5 Enlarge / Shrink the Canvas.....	23
3.7.3.6 Zoom.....	24
3.7.3.7 Export map as JPG.....	24
3.7.3.8 Save a dependency map.....	24
3.7.4 Open And Delete existing maps.....	24
4 Open Source .....	25

# 1 Introduction

---

The introduction chapter explains what dependency mapping is all about and how JDisc Discovery discovers dependencies between devices on the network.

## 1.1 What Is Dependency Mapping?

Dependency mapping is about finding connections between devices on the network. Devices communicate with each and frequently also depend on each other. The diagram below illustrates a web-based application consisting of a database server, a web server, an application server and a user interface client.




Fig: A typical 3-tier web application

- The client uses the web interface to access the web server.
- The web server accesses a database on the database server and the business logic on the application server.
- The application server (hosting the business logic) reads and writes to the database

on the database server. It *depends* on the database server.

Knowing dependencies between devices is crucial for many IT projects.

For example, suppose your company decides to virtualize servers in the data center to reduce IT expenses. Instead of having three physical servers you would finally run only one physical server hosting three virtual machines.

In such a case it is important to know the dependencies between servers to sequence the migration of the servers in the right order. If you would migrate a server that is still needed by other servers, business applications might fail.

# 2 Installation

---

Installing the JDisc Discovery dependency mapping add-on requires JDisc Discovery 5.0. To install the dependency mapping add-on, double click the MSI file. The installation wizard will guide you through the installation process.



The dependency mapping add-on installation restarts the JDisc Discovery service.

---



# 3 Dependency Mapping

---

This chapter explains how to get started with the dependency mapping add-on.

## 3.1 Licensing

The JDisc Discovery dependency mapping requires its own license option. From the JDisc Discovery user interface, select *Help » License Info* to display license information. The Dependency Mapping add-on must appear in the *Options* table.




Fig: License Information dialog

## 3.2 How JDisc Discovery Collects Dependency Information

JDisc Discovery collects connection information from many different device types. Devices supporting SNMP typically provide connection information via the *TcpConnTable* and *UdpConnTable* for TCP and UDP connections.

Often computers do not support SNMP. In this case, JDisc Discovery collects connection information using JDisc Discovery's remote login capability. All major operating systems implement the *netstat* command. The *netstat* command displays active TCP/IP connections as well as open TCP and UDP ports.



To collect dependency information, remote login must be enabled for devices that do not support SNMP. Refer to JDisc Discovery's user manual for more information on how to enable remote login.

---

Please note: When JDisc Discovery discovers a network, the device connections only represents a snapshot of the network. However, when you configure JDisc Discovery to run scheduled discovery jobs, over time the dependencies between devices on your network will become more accurate.



JDisc Discovery does not discover connections originating from the computer that runs the software. This is because the discovery running on this computer opens many network connections to other devices on the network.

---

## 3.3 New User Interface Elements

The installation program adds new elements to JDisc Discovery's user interface:

- A new menu item *Port Names...* in the *Discovery* menu.
- A new menu *Connections* in the *Networking* menu.
- A new top-level menu *Maps*.
- A new menu item *Create Dependency Map...* in the device report's context menu.
- A new tab *Connections* in the device details dialog.
- A new *Connections* panel in the discovery settings dialog's *Data Collection* tab.

## 3.4 Configuration

Open the discovery configuration dialog from *Discovery* » *Configuration* menu and select the *Data Collection* tab. The dependency discovery is enabled by default.

Per default, connected devices will not be discovered but only created with IP addresses in the database. Enable the *Discover connected devices* option to also discover connected devices. Connected devices might be outside of the discovery scope (networks, address ranges, Windows domains or directory objects).



Connected devices must not necessarily reside in your corporate network!

Use JDisc Discovery's IP address filtering to restrict the discovery scope to addresses within your corporate network. Refer to the JDisc Discovery user manual for more information on IP address filtering.

If existing connections (stored in the database) do not show up again in subsequent discoveries for a defined period of time these can be deleted automatically. Select the *Delete inactive dependencies between computers when older than XXX day(s)* option and enter the desired number of days. If this option is disabled, connections are never aged out.

Of times computers expose the date and time since the last reboot. JDisc Discovery uses this last reboot date to delete all connections that have been established prior to the last reboot. Those connections are definitely closed, since a reboot closes all network connections.




Fig: Dependency mapping configuration

## 3.5 Define Port Names

JDisc Discovery assigns symbolic names to port numbers based on well known ports. If your corporation uses different port assignment or if port assignments are missing, open the *Port Names* dialog from the *Discovery » Port Names* menu item.




Fig: Port name configuration

Select a port, double click or click *Change* to modify existing port assignments. Click *Add* to add new port assignments or *Remove* to delete port assignments.

## 3.6 New Reports

The installation program adds new reports to JDisc Discovery's reporting system.

### 3.6.1 Open Port Statistics

The *Open Ports* report displays all open ports including port name, port type and device count. Open the Open Ports report from *Networking » Connections » Open Ports*.

From the *Open Ports* report, select one or more ports, open the context menu and choose one of the menu items below:

- *Devices listening on selected port(s)*
- *Devices connecting to selected port(s)*

Open Port	Port Name	Type	Device Count
0		Udp	10
7	echo	Tcp	1
7	echo	Udp	1
9	discard	Tcp	1
9	discard	Udp	1
13	daytime	Tcp	1
13	daytime	Udp	1
17	qotd	Tcp	1
17	qotd	Udp	1
19	chargen	Tcp	1
19	chargen	Udp	1
21	ftp	Tcp	11
22	ssh	Tcp	35
23	telnet	Tcp	19
25	smtp	Tcp	32
53	domain	Tcp	2
53	domain	Udp	4
68	bootpc	Udp	13
69	tftp	Udp	13
79	finger	Tcp	4
80	http	Tcp	74
88	kerberos	Tcp	1
88	kerberos	Udp	2
111	sunrpc	Tcp	38
111	sunrpc	Udp	37
123_etc		Udp	30

Total 3447 open ports | 0 open ports selected

Fig: Open port statistics

### 3.6.2 Connection Statistics

The *Connection Statistics* report displays all devices including the number of open ports and connections. Open the *Connection Statistics* report from *Networking » Connections » Connection Statistics*.

Name	IP Address	Manufa...	Model	Open Port Count	Est. Connection Count	Type
IntegrityVM-4	12.251.240.152			127	49	HP Integrity VM
IntegrityVM-7	12.251.240.1			125	49	HP Integrity VM
IntegrityVM-8	12.251.240.96			93	43	HP Integrity VM
IntegrityVM-5	12.251.240.240			92	47	HP Integrity VM
IntegrityVM-9	12.251.240.209			88	46	HP Integrity VM
IntegrityVM-2	12.251.240.143			85	57	HP Integrity VM
IntegrityVM-1	12.251.240.104			71	64	HP Integrity VM
RackServer-3	12.251.240.0	Hewlett...	rx6600	68	10	Server (Rack)
RackServer-2	12.251.240.164	Hewlett...	rx2620	64	4	Server (Rack)
RackServer-5	12.251.240.16	Hewlett...	rx2660	64	3	Server (Rack)
RackServer-4	12.251.240.233	Hewlett...	rx6600	62	4	Server (Rack)
tom-laptop3.fritz.box	192.168.178.81	Apple	MacBookPro10,1	56	31	Laptop
Desktop-8	12.255.136.208	Hewlett...	m8180.de	55	0	Desktop
Laptop-4	12.255.136.191	Hewlett...	Pavilion HDX9000	44	2	Laptop
teetee-pc.fritz.box	192.168.178.20	Hewlett...	m8180.de	43	30	Desktop
PortServer-1	12.216.106.31	Moxa	NPort	41	0	Port Server
Computer-11	12.251.240.122			40	12	Computer
Laptop-3	12.255.136.102	Sony	VGN-SR29VN_S	40	3	Laptop
ttrenz-PC2.fritz.box	192.168.178.75	Dell	Studio Hybrid 140g	40	2	Desktop
XenInstance-4	12.251.240.81			38	1	Xen Instance
XenInstance-5	12.251.240.55			38	20	Xen Instance
Desktop-9	12.255.136.228	Dell	Studio Hybrid 140g	37	4	Desktop
XenInstance-7	12.251.240.119			35	20	Xen Instance
Printer-2	12.216.106.180	Lexmark	T640	34	2	Printer

Total 335 devices | 1 device selected

Fig: Connection statistics

### 3.6.3 Device Details - Open Ports And Connections

JDisc Discovery extends the *Device Details* report with a new tab called *Connections*. The *Connections* tab contains the *Open Ports* and *Connections* reports. The *Open Ports* report displays all listening ports of the selected device.

Port	Type	Port Name	Last Discovered
123	Udp	ntp	Sep 21, 2010 2:44:11 PM
135	Tcp	epmap	Sep 21, 2010 2:44:11 PM
137	Udp	netbios-ns	Sep 21, 2010 2:44:11 PM
138	Udp	netbios-dgm	Sep 21, 2010 2:44:11 PM
139	Tcp	netbios-ssn	Sep 21, 2010 2:44:11 PM
139	Tcp	netbios-ssn	Sep 21, 2010 2:44:11 PM
139	Tcp	netbios-ssn	Sep 21, 2010 2:44:11 PM
139	Tcp	netbios-ssn	Sep 21, 2010 2:44:11 PM
445	Tcp	microsoft-ds	Sep 21, 2010 2:44:11 PM
500	Udp	isakmp	Sep 21, 2010 2:44:11 PM
1,900	Udp	ssdp	Sep 21, 2010 2:44:11 PM
2,869	Tcp	icslap	Sep 21, 2010 2:44:11 PM
3,702	Udp	ws-discovery	Sep 21, 2010 2:44:11 PM
4,500	Udp	ipsec-nat-t	Sep 21, 2010 2:44:11 PM
5,353	Udp	mdns	Sep 21, 2010 2:44:11 PM
5,354	Tcp	mdnsresponder	Sep 21, 2010 2:44:11 PM
5,355	Udp	lmmr	Sep 21, 2010 2:44:11 PM
5,357	Tcp	wsdapi	Sep 21, 2010 2:44:11 PM

Total 40 open ports | 0 open ports selected

Fig: Open ports

The *Connections* report displays all TCP/IP connections of the selected device.




Fig: Device connections

## 3.7 Dependency Maps

Dependency maps graphically represents connections between devices. A dependency map displays the devices and the connections to other devices.

### 3.7.1 Dependency Map Basics

A dependency maps must always consist of one or multiple root devices. Root devices are the starting point for displaying dependencies to other devices. Root devices are displayed blue colored in dependency maps.

Dependency maps can contain many devices in large corporate networks. To improve overview, reduce loading time and to adapt dependency maps to your specific use cases, you can filter devices by:

- Connection hop limit - Only displays connections and devices that connect to any of the root devices with not more than the specified hop count.
- Port filter - Only displays connections and devices that connect to each other with selected ports.

- Type filter - Only displays devices of selected device types.

In addition to the above filters, devices can also be manually removed from a dependency map.

Frequently used dependency maps can be saved and opened from the *Maps* menu. JDisc Discovery does not only save the root devices and the filter configuration, but also the location of all devices within the dependency map. You can move devices within the dependency map to adapt the layout to your needs.

### 3.7.2 Create A Dependency Map

You can create a dependency map from any device report. Select one or more devices, open the context menu and select *Create Dependency Map*. JDisc Discovery opens a new Dependency Map window. Root devices are indicated by blue circles. The connection hop limit is set to 1 by default to prevent the dependency map from become too crowded. Because of the initial (default) connection hop limit, new dependency maps only display directly connected devices.




Fig: Dependency map

A dependency map consists of devices (displayed as circles) and connections (displayed as lines) connecting devices. Each line can represent one or multiple connections. Tool tips provide additional connection information. Double clicking a connection opens a new dialog displaying all connections in detail.






Fig: Active outgoing connections

You can edit port names in the dialog. However this will not change the global port assignments!



Port names can be modified for individual connections without changing the default port assignments.

---

### 3.7.3 Change Map Settings

This section explains how to modify and adjust the dependency map configuration to accommodate your needs.

#### 3.7.3.1 Change The Connection Hop Limit

The connection hop limit defines the maximum distance (hop count) from any device on the map to any of the root devices. The default connection limit is set to one - thus only directly connected devices appear on the dependency map. You can change the connection hop limit by directly entering the desired hop count or by using the spinner buttons to increment or decrement the hop count from within the tool bar.




Fig: Change the hop count limit



Changing the hop count limit changes the layout of your map!

### 3.7.3.2 Filter Dependency Maps

Dependency maps can become very crowded in corporate networks. This is why JDisc Discovery provides configurable port and device type filters to display only connections and devices of interest.

#### Port Filters

Port filters display only devices connecting to each other with configured ports. To create a port filter, open the *Ports Filters* dialog from the dependency map using the *Filter » Port Filter...* menu item.

The *Port Filters* dialog displays only port assignments for existing connections of devices within the dependency map.




Fig: Port filters

Enable or disable port assignments as needed and click *Ok* to refresh the dependency map.



Changing port filters will re-layout the dependency map.

---

#### Device Type Filters

Device type filter only display devices that match the configured device types. To create a device type filter, open the *Device Type Filters* dialog from the dependency map using the *Filter » Device Type Filter...* menu item.

The *Device Type Filters* dialog displays JDisc Discovery's device type taxonomy.

Enable or disable the device types of interest.




Fig: Device type filters

---

⚠ Disabling a super-ordinate device types does not disable sub-ordinate device types!

---

⚠ Changing device type filters will re-layout the dependency map.

---

### 3.7.3.3 Layout Algorithms

JDisc Discovery offers the layout algorithms below for use with dependency maps:

- Kamada-Kawai
- Fruchtermann-Rheingold
- Self-organizing map
- Spring layout
- Circular layout

From the dependency map windows, you can change the layout from the *Layout* menu.






Fig: The layout menu

### 3.7.3.4 Move Devices

To improve the layout, you can move devices on the dependency map. JDisc Discovery keeps the new layout positions when saving the map.

### 3.7.3.5 Enlarge / Shrink The Canvas

The canvas might become too small or large if too many or few devices are displayed on the dependency map. You can use the enlarge canvas  or shrink canvas  icons from the tool bar to enlarge or shrink the canvas size. You can also the *Enlarge Canvas* and *Shrink Canvas* menu items from the *View* menu.

# 4 Open Source

---

This software includes software developed by various open-source projects and organizations as listed below. The corresponding files and components are copyright to the corresponding organization or vendor and all rights reserved. The software files and components distributed under the open-source licenses are distributed on an "AS IS" basis, WITHOUT WARRANTY OF ANY KIND, either express or implied. See the license of the corresponding project for specific rights and limitations under the license. Depending on the license, any product derived from the products may not be called with the name of the project nor may the name of the project appear in their name, without prior written permission. For written permission, please contact the corresponding project owner by visiting the corresponding project home page as listed below.

All license files can be found in the installation directory 'Licenses'.

- This product includes software developed by the Apache Foundation (<http://www.apache.org>). These are 'Axis', 'Commons Collections', 'Commons Net', 'CXF', 'log4j', and 'POI', 'Drools', 'log4j'.
- This product includes the 'SBLIM' WBEM implementation (<http://sourceforge.net/projects/sblim/files/sblim-cim-client2/>)
- This product includes icons from 'FAMFAMFAM' icon gallery 'SILK' (<http://www.famfamfam.com/lab/icons/silk>).
- This product includes Kai Toedter's 'Jcalendar' (<http://www.toedter.com/en/jcalendar/index.html>).
- This product includes the JUNG layout library (<http://jung.sourceforge.net>).
- This product includes the COLT numeric library (<http://acs.lbl.gov/~hoschek/colt>).
- This product uses the Postgres database (<http://www.postgresql.org>).
- This product uses SNMP4J (<http://www.snmp4j.org>).
- This product uses the Ganymed SSH library (<http://www.ganymed.ethz.ch/ssh2>).
- This product uses the drools rule engine (<http://jboss.org/drools>).
- This product uses the janino compiler (<http://www.janino.net>).
- This product uses Jython (<http://www.jython.org/Project>).
- The product calls the dmidecode binary (<http://www.nongnu.org/dmidecode>).  
Find the source code in the 'sources' directory.
- This product uses icons from 'Crystal Clear' ([http://commons.wikimedia.org/wiki/Crystal\\_Clear](http://commons.wikimedia.org/wiki/Crystal_Clear)).
- This product uses the 'PUTTY' ssh client.
- This product uses the dom4j library (<http://dom4j.sourceforge.net/dom4j-1.6.1>).
- This product uses the Jaxen library (<http://jaxen.org/>)

- This product uses the Jcalendar library (<http://toedter.com/jcalendar/>).
- This product uses the Jdom library (<http://www.jdom.org/>).
- This product uses the saxpath library (<http://www.saxpath.org/>).
- This product uses the miglayout library (<http://www.miglayout.com/>).
- This product uses the taskdialog library (<https://code.google.com/p/oxbow/>).
- This product uses the vijava library (<http://vijava.sourceforge.net/>).
- This product uses the dnsjava library (<http://www.dnsjava.org/>).
- This product uses the trove library (<http://trove.starlight-systems.com/>).